

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0430-CVAP-0008252
 Strain: Super Sour Glue, Unit Weight: 1.0000g
 Batch#: V-KR-SSG-01-0424, Batch Size: 3552
 Sample Received: 05/01/2024 09:16
 Report Created: 05/08/2024 10:25
 Sampling SOP 204-NY

V-KR-SSG-01-0424
 Concentrates & Extracts, Vape




Results

70.09% D9-THC	5.42% CBG
0.00% Total CBD	70.09% Total THC
76.82% Total Cannabinoids	9.061% Total Terpenes

Tests Summary

Cannabinoids Tested	Terpenes Pass	Microbials Pass
Heavy Metals Pass	Water Activity Not Tested	Residual Solvents Pass
Mycotoxins Pass	Moisture Not Tested	Pesticides Pass
Homogeneity Pass		

Dominant Terpenes



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0430-CVAP-0008252
 Strain: Super Sour Glue, Unit Weight: 1.0000g
 Batch#: V-KR-SSG-01-0424, Batch Size: 3552
 Sample Received: 05/01/2024 09:16
 Report Created: 05/08/2024 10:25
 Sampling SOP 204-NY

V-KR-SSG-01-0424
 Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY
 Date/Time Tested: 05/02/2024 16:45

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/dose
CBDV	9,787.69	ND	ND	ND
CBDa	9,787.69	ND	ND	ND
CBGa	9,787.69	ND	ND	ND
CBG	9,787.69	54.24	5.42	54.24
CBD	9,787.69	ND	ND	ND
THCV	9,787.69	ND	ND	ND
CBN	9,787.69	ND	ND	ND
CBNa	9,787.69	ND	ND	ND
D9-THC	9,787.69	700.88	70.09	700.88
D8-THC	9,787.69	ND	ND	ND
(6aR,9S)-d10-THC	9,787.69	ND	ND	ND
(6aR,9R)-d10-THC	9,787.69	ND	ND	ND
CBC	9,787.69	13.06	1.31	13.06
THCa	9,787.69	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		700.88	70.09	700.88
Total Cannabinoids		768.18	76.82	768.18

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0430-CVAP-0008252
 Strain: Super Sour Glue, Unit Weight: 1.0000g
 Batch#: V-KR-SSG-01-0424, Batch Size: 3552
 Sample Received: 05/01/2024 09:16
 Report Created: 05/08/2024 10:25
 Sampling SOP 204-NY

V-KR-SSG-01-0424
 Concentrates & Extracts, Vape



Terpenes

SOP 620-NY
 Date/Time Tested: 05/03/2024 16:19

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		100,000	9.061	Passed
b-Caryophyllene	320		3.149	Tested
Limonene	320		1.921	Tested
a-Humulene	320		0.991	Tested
b-Myrcene	320		0.755	Tested
a-Bisabolol	320		0.639	Tested
Terpinolene	320		0.394	Tested
trans-b-Farnesene	320		0.362	Tested
Linalool	320		0.273	Tested
b-Pinene	320		0.167	Tested
a-Pinene	320		0.121	Tested
trans-Nerolidol	320		0.107	Tested
Fenchol	320		0.103	Tested
Terpineol	320		0.079	Tested
Camphene	320		< LOQ	Tested
g-Terpinene	320		ND	Tested
p-Cymene	320		ND	Tested
Fenchone	320		< LOQ	Tested
Isopulegol	320		ND	Tested
Camphor	320		ND	Tested
Isoborneol	320		ND	Tested
DL-Menthol	320		ND	Tested
Borneol	320		< LOQ	Tested
Nerol	320		ND	Tested
Pulegone	320		ND	Tested
Geraniol	320		ND	Tested
Geranyl Acetate	320		ND	Tested
a-Cedrene	320		ND	Tested
a-Terpinene	320		ND	Tested
d-3-Carene	320		ND	Tested
Valencene	320		ND	Tested
cis-Nerolidol	320		ND	Tested
Eucalyptol	320		ND	Tested
Guaiol	320		ND	Tested
Caryophyllene Oxide	320		ND	Tested
Cedrol	320		ND	Tested
a-Phellandrene	320		ND	Tested




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
350 Buell Road
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0430-CVAP-0008252
Strain: Super Sour Glue, Unit Weight: 1.0000g
Batch#: V-KR-SSG-01-0424, Batch Size: 3552
Sample Received: 05/01/2024 09:16
Report Created: 05/08/2024 10:25
Sampling SOP 204-NY

V-KR-SSG-01-0424
Concentrates & Extracts, Vape



Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
trans-b-Ocimene	320		< LOQ	Tested
Sabinene	320		ND	Tested
Sabinene Hydrate	320		ND	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0430-CVAP-0008252
 Strain: Super Sour Glue, Unit Weight: 1.0000g
 Batch#: V-KR-SSG-01-0424, Batch Size: 3552
 Sample Received: 05/01/2024 09:16
 Report Created: 05/08/2024 10:25
 Sampling SOP 204-NY

V-KR-SSG-01-0424
 Concentrates & Extracts, Vape



Microbials

SOP 401-NY SOP 619-NY
 Date/Time Tested: 05/02/2024 16:00

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	1,000	10,000	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed
E. Coli		0	ND	Passed
Salmonella		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0430-CVAP-0008252
 Strain: Super Sour Glue, Unit Weight: 1.0000g
 Batch#: V-KR-SSG-01-0424, Batch Size: 3552
 Sample Received: 05/01/2024 09:16
 Report Created: 05/08/2024 10:25
 Sampling SOP 204-NY

V-KR-SSG-01-0424
 Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY
 Date/Time Tested: 05/02/2024 12:46

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.207	2.000	ND	Passed
Arsenic	0.207	0.200	ND	Passed
Cadmium	0.207	0.300	ND	Passed
Chromium	0.207	110.000	< LOQ	Passed
Copper	0.248	30.000	ND	Passed
Mercury	0.050	0.100	ND	Passed
Nickel	0.248	2.000	< LOQ	Passed
Lead	0.207	0.500	< LOQ	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0430-CVAP-0008252
 Strain: Super Sour Glue, Unit Weight: 1.0000g
 Batch#: V-KR-SSG-01-0424, Batch Size: 3552
 Sample Received: 05/01/2024 09:16
 Report Created: 05/08/2024 10:25
 Sampling SOP 204-NY

V-KR-SSG-01-0424
 Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY
 Date/Time Tested: 05/01/2024 12:13

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	38	5,000	< LOQ	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	38	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	189	5,000	ND	Passed
Ethyl Acetate	189	5,000	ND	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO		5,000	TIC	Passed
Heptane	19	5,000	ND	Passed
Hexanes	6	290	< LOQ	Passed
Isopropyl Alcohol	189	5,000	ND	Passed
Methanol	113	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	57	5,000	ND	Passed
Propane	19	5,000	< LOQ	Passed
Toluene	3	890	ND	Passed
Trichloroethane		1,500	TIC	Passed
Xylenes	249	2,170	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
350 Buell Road
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0430-CVAP-0008252

Strain: Super Sour Glue, Unit Weight: 1.0000g
Batch#: V-KR-SSG-01-0424, Batch Size: 3552
Sample Received: 05/01/2024 09:16
Report Created: 05/08/2024 10:25
Sampling SOP 204-NY

V-KR-SSG-01-0424
Concentrates & Extracts, Vape



Mycotoxins

SOP 808-NY
Date/Time Tested: 05/03/2024 01:01

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0		ND	Tested
B2	5.0		ND	Tested
G1	5.0		ND	Tested
G2	5.0		ND	Tested
Ochratoxin A	5.0	20.0	ND	Passed
Total Aflatoxins		20.0	0.00	Passed
Total Mycotoxins			0.00	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0430-CVAP-0008252
 Strain: Super Sour Glue, Unit Weight: 1.0000g
 Batch#: V-KR-SSG-01-0424, Batch Size: 3552
 Sample Received: 05/01/2024 09:16
 Report Created: 05/08/2024 10:25
 Sampling SOP 204-NY

V-KR-SSG-01-0424
 Concentrates & Extracts, Vape



Pesticides

SOP 814-NY
 Date/Time Tested: 05/02/2024 17:20

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.39	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.50	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid		1.00	TIC	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0430-CVAP-0008252

Strain: Super Sour Glue, Unit Weight: 1.0000g
 Batch#: V-KR-SSG-01-0424, Batch Size: 3552
 Sample Received: 05/01/2024 09:16
 Report Created: 05/08/2024 10:25
 Sampling SOP 204-NY

V-KR-SSG-01-0424
 Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed
MGK-264		0.20	TIC	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin		1.00	ND	Passed
Chloromequat Chloride		1.00	TIC	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
350 Buell Road
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0430-CVAP-0008252
Strain: Super Sour Glue, Unit Weight: 1.0000g
Batch#: V-KR-SSG-01-0424, Batch Size: 3552
Sample Received: 05/01/2024 09:16
Report Created: 05/08/2024 10:25
Sampling SOP 204-NY

V-KR-SSG-01-0424
Concentrates & Extracts, Vape



Homogeneity

Pass

Analyte

Result

Homogeneity

Pass