

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0424-CLRE-0008203
 Unit Weight: 1.0000g
 Batch#: C-KR-GS-01-0424
 Sample Received: 04/24/2024 09:37
 Report Created: 05/22/2024 11:00
 Sampling SOP 204-NY

C-KR-GS-01-0424
 Concentrates & Extracts, Live Resin





Results

83.40% THCa	1.87% CBGa
ND Total CBD	73.14% Total THC
85.28% Total Cannabinoids	7.469% Total Terpenes

Tests Summary

Cannabinoids Tested	Terpenes Pass	Microbials Pass
Heavy Metals Pass	Water Activity Not Tested	Residual Solvents Pass
Mycotoxins Pass	Moisture Not Tested	Pesticides Pass
Homogeneity Pass		

Dominant Terpenes



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0424-CLRE-0008203
 Unit Weight: 1.0000g
 Batch#: C-KR-GS-01-0424
 Sample Received: 04/24/2024 09:37
 Report Created: 05/22/2024 11:00
 Sampling SOP 204-NY

C-KR-GS-01-0424
 Concentrates & Extracts, Live Resin



Cannabinoids

SOP 801-NY
 Date/Time Tested: 04/26/2024 13:12

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/dose
CBDV	4,183.32	ND	ND	ND
CBDa	4,183.32	ND	ND	ND
CBGa	4,183.32	18.75	1.87	18.75
CBG	4,183.32	< LOQ	< LOQ	< LOQ
CBD	4,183.32	ND	ND	ND
THCV	4,183.32	ND	ND	ND
CBN	4,183.32	ND	ND	ND
CBNa	4,183.32	ND	ND	ND
D9-THC	4,183.32	< LOQ	< LOQ	< LOQ
D8-THC	4,183.32	ND	ND	ND
(6aR,9S)-d10-THC	4,183.32	ND	ND	ND
(6aR,9R)-d10-THC	4,183.32	ND	ND	ND
CBC	4,183.32	ND	ND	ND
THCa	4,183.32	834.00	83.40	834.00
Total CBD		ND	ND	ND
Total THC		731.42	73.14	731.42
Total Cannabinoids		852.75	85.28	852.75

Notes:

AMENDED Rev01: Corrected lot number per client request

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0424-CLRE-0008203
 Unit Weight: 1.0000g
 Batch#: C-KR-GS-01-0424
 Sample Received: 04/24/2024 09:37
 Report Created: 05/22/2024 11:00
 Sampling SOP 204-NY

C-KR-GS-01-0424
 Concentrates & Extracts, Live Resin



Terpenes

SOP 620-NY
 Date/Time Tested: 04/25/2024 16:34

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		100,000	7.469	Passed
b-Caryophyllene	331		2.285	Tested
trans-b-Farnesene	331		1.733	Tested
Limonene	331		0.989	Tested
a-Humulene	331		0.625	Tested
b-Myrcene	331		0.595	Tested
Guaiol	331		0.378	Tested
Linalool	331		0.322	Tested
cis-Nerolidol	331		0.172	Tested
trans-Nerolidol	331		0.101	Tested
Fenchol	331		0.067	Tested
b-Pinene	331		0.065	Tested
a-Bisabolol	331		0.050	Tested
Caryophyllene Oxide	331		0.046	Tested
Terpineol	331		0.040	Tested
Isoborneol	331		ND	Tested
Camphene	331		ND	Tested
Fenchone	331		ND	Tested
Isopulegol	331		ND	Tested
Camphor	331		ND	Tested
a-Pinene	331		< LOQ	Tested
DL-Menthol	331		ND	Tested
Borneol	331		ND	Tested
Nerol	331		ND	Tested
Pulegone	331		ND	Tested
Geraniol	331		ND	Tested
Geranyl Acetate	331		ND	Tested
a-Cedrene	331		ND	Tested
Terpinolene	331		< LOQ	Tested
g-Terpinene	331		ND	Tested
Valencene	331		ND	Tested
Eucalyptol	331		ND	Tested
p-Cymene	331		ND	Tested
a-Terpinene	331		ND	Tested
d-3-Carene	331		ND	Tested
Cedrol	331		ND	Tested
a-Phellandrene	331		ND	Tested




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
350 Buell Road
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0424-CLRE-0008203

Unit Weight: 1.0000g
Batch#: C-KR-GS-01-0424
Sample Received: 04/24/2024 09:37
Report Created: 05/22/2024 11:00
Sampling SOP 204-NY

C-KR-GS-01-0424
Concentrates & Extracts, Live Resin



Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
trans-b-Ocimene	331		ND	Tested
Sabinene	331		ND	Tested
Sabinene Hydrate	331		ND	Tested

Notes:

AMENDED Rev01: Corrected lot number per client request

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0424-CLRE-0008203
 Unit Weight: 1.0000g
 Batch#: C-KR-GS-01-0424
 Sample Received: 04/24/2024 09:37
 Report Created: 05/22/2024 11:00
 Sampling SOP 204-NY

C-KR-GS-01-0424
 Concentrates & Extracts, Live Resin



Microbials

SOP 401-NY SOP 619-NY
 Date/Time Tested: 04/26/2024 15:23

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	1,000	10,000	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed
E. Coli		0	ND	Passed
Salmonella		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed

Notes:

AMENDED Rev01: Corrected lot number per client request

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
350 Buell Road
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0424-CLRE-0008203
Unit Weight: 1.0000g
Batch#: C-KR-GS-01-0424
Sample Received: 04/24/2024 09:37
Report Created: 05/22/2024 11:00
Sampling SOP 204-NY

C-KR-GS-01-0424
Concentrates & Extracts, Live Resin



Heavy Metals

SOP 250-NY
Date/Time Tested: 04/26/2024 12:34

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.209	2.000	ND	Passed
Arsenic	0.209	0.200	ND	Passed
Cadmium	0.209	0.300	ND	Passed
Chromium	0.209	110.000	< LOQ	Passed
Copper	0.251	30.000	ND	Passed
Mercury	0.050	0.100	ND	Passed
Nickel	0.251	2.000	ND	Passed
Lead	0.209	0.500	ND	Passed

Notes:

AMENDED Rev01: Corrected lot number per client request

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0424-CLRE-0008203
 Unit Weight: 1.0000g
 Batch#: C-KR-GS-01-0424
 Sample Received: 04/24/2024 09:37
 Report Created: 05/22/2024 11:00
 Sampling SOP 204-NY

C-KR-GS-01-0424
 Concentrates & Extracts, Live Resin



Residual Solvents

SOP 612-NY
 Date/Time Tested: 04/26/2024 10:53

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	42	5,000	< LOQ	Passed
Acetonitrile	17	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	42	5,000	58.4	Passed
Chloroform	2	60	ND	Passed
Ethanol	210	5,000	ND	Passed
Ethyl Acetate	210	5,000	ND	Passed
Ethyl Ether	21	5,000	ND	Passed
DMSO		5,000	TIC	Passed
Heptane	21	5,000	ND	Passed
Hexanes	6	290	< LOQ	Passed
Isopropyl Alcohol	210	5,000	ND	Passed
Methanol	126	3,000	ND	Passed
Methylene Chloride	3	600	ND	Passed
Pentanes	63	5,000	ND	Passed
Propane	21	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane		1,500	TIC	Passed
Xylenes	277	2,170	ND	Passed

Notes:

AMENDED Rev01: Corrected lot number per client request

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
350 Buell Road
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0424-CLRE-0008203
Unit Weight: 1.0000g
Batch#: C-KR-GS-01-0424
Sample Received: 04/24/2024 09:37
Report Created: 05/22/2024 11:00
Sampling SOP 204-NY

C-KR-GS-01-0424
Concentrates & Extracts, Live Resin



Mycotoxins

SOP 808-NY
Date/Time Tested: 04/26/2024 17:18

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested
B2	4.7		ND	Tested
G1	4.7		ND	Tested
G2	4.7		ND	Tested
Ochratoxin A	4.7	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Notes:

AMENDED Rev01: Corrected lot number per client request

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0424-CLRE-0008203

Unit Weight: 1.0000g
 Batch#: C-KR-GS-01-0424
 Sample Received: 04/24/2024 09:37
 Report Created: 05/22/2024 11:00
 Sampling SOP 204-NY

C-KR-GS-01-0424
 Concentrates & Extracts, Live Resin



Pesticides

SOP 814-NY
 Date/Time Tested: 04/25/2024 18:12

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid		1.00	TIC	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
 350 Buell Road
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0424-CLRE-0008203

Unit Weight: 1.0000g
 Batch#: C-KR-GS-01-0424
 Sample Received: 04/24/2024 09:37
 Report Created: 05/22/2024 11:00
 Sampling SOP 204-NY

C-KR-GS-01-0424
 Concentrates & Extracts, Live Resin



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed
Methomyl	0.09	0.40	ND	Passed
MGK-264		0.20	TIC	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin		1.00	ND	Passed
Chloromequat Chloride		1.00	TIC	Passed

Notes:

AMENDED Rev01: Corrected lot number per client request

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chloromequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs
350 Buell Road
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0424-CLRE-0008203
Unit Weight: 1.0000g
Batch#: C-KR-GS-01-0424
Sample Received: 04/24/2024 09:37
Report Created: 05/22/2024 11:00
Sampling SOP 204-NY

C-KR-GS-01-0424
Concentrates & Extracts, Live Resin



Homogeneity

Pass

Analyte

Homogeneity

Result

Pass

Notes:

AMENDED Rev01: Corrected lot number per client request