Cirona Labs

Order No.: ONYCIR0513-0006489
350 Buell Rd
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0513-CLRE-0015212

Strain: Gelato 41, Unit Weight: 1.0000g
Batch#: C-KR-G1-01-0425, Batch Size: 458
Sample Received: 05/13/2025 19:12
Report Created: 05/19/2025 17:51
Sampling SOP 204-NY

C-KR-G1-01-0425

Concentrates & Extracts, Live Resin

Results

765.71 mg/unit THCa	**68.42 mg/unit** CBGa
0.00 mg/unit Total CBD	**692.97 mg/unit** Total THC
859.93 mg/unit Total Cannabinoids	**7.667%** Total Terpenes

Tests Summary

Cannabinoids Tested	**Moisture** Not Tested	**Microbials** Pass
Water Activity Not Tested	**Foreign Matter** Not Tested	**Homogeneity** Pass
Terpenes Pass	**Residual Solvents** Pass	**Mycotoxins** Pass
Heavy Metals Pass	**Pesticides** Pass	

Dominant Terpenes



PJLA Testing Accreditation #82076

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR0513-0006489
350 Buell Rd
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0513-CLRE-0015212

Strain: Gelato 41, Unit Weight: 1.0000g
Batch#: C-KR-G1-01-0425, Batch Size: 458
Sample Received: 05/13/2025 19:12
Report Created: 05/19/2025 17:51
Sampling SOP 204-NY

C-KR-G1-01-0425

Concentrates & Extracts, Live Resin

Cannabinoids

Tested

SOP 801-NY
Date/Time Tested: 05/15/2025 16:51

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,326.23	ND	ND	ND
CBDa	4,326.23	< LOQ	< LOQ	< LOQ
CBGa	4,326.23	**6.84**	**68.42**	**68.42**
CBG	4,326.23	**0.44**	**4.36**	**4.36**
CBD	4,326.23	ND	ND	ND
THCV	4,326.23	ND	ND	ND
CBN	4,326.23	ND	ND	ND
D9-THC	4,326.23	**2.14**	**21.44**	**21.44**
D8-THC	4,326.23	ND	ND	ND
(6aR,9S)-d10-THC	4,326.23	ND	ND	ND
(6aR,9R)-d10-THC	4,326.23	ND	ND	ND
CBC	4,326.23	ND	ND	ND
THCa	4,326.23	**76.57**	**765.71**	**765.71**
Total CBD		0.00	0.00	0.00
Total THC		**69.30**	**692.97**	**692.97**
Total Cannabinoids		**85.99**	**859.93**	**859.93**

Notes:
Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THCTotal CBD = CBDa * 0.877 + CBDTotal Cannabinoids= Sum of all cannabinoidsLOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

Pass

SOP 401-NY SOP 418-NY
Date/Time Tested: 05/16/2025 20:01

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	1,000	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:
Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Homogeneity

Pass

Date/Time Tested: 05/15/2025 16:51

Analyte	Result
Homogeneity	Pass

PJLA Testing Accreditation #82076

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR0513-0006489
350 Buell Rd
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0513-CLRE-0015212

Strain: Gelato 41, Unit Weight: 1.0000g
Batch#: C-KR-G1-01-0425, Batch Size: 458
Sample Received: 05/13/2025 19:12
Report Created: 05/19/2025 17:51
Sampling SOP 204-NY

C-KR-G1-01-0425

Concentrates & Extracts, Live Resin

Terpenes

Pass

SOP 620-NY
Date/Time Tested: 05/16/2025 14:48

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	**7.6667**	Passed	Terpinolene	160		**0.0201**	Tested
b-Caryophyllene	160		**2.9192**	Tested	a-Cedrene	160		ND	Tested
Limonene	160		**1.3643**	Tested	Isopulegol	160		ND	Tested
a-Humulene	160		**0.7635**	Tested	Nerol	160		ND	Tested
trans-b-Farnesene	481		**0.4541**	Tested	Pulegone	160		ND	Tested
Linalool	160		**0.4042**	Tested	Geraniol	160		ND	Tested
a-Bisabolol	160		**0.3237**	Tested	Geranyl Acetate	160		ND	Tested
b-Myrcene	160		**0.2257**	Tested	Sabinene Hydrate	160		ND	Tested
Fenchol	160		**0.1878**	Tested	g-Terpinene	160		ND	Tested
cis-Nerolidol	160		**0.1840**	Tested	Eucalyptol	160		ND	Tested
Terpineol	160		**0.1745**	Tested	Isoborneol	160		ND	Tested
b-Pinene	160		**0.1706**	Tested	p-Cymene	160		ND	Tested
trans-b-Ocimene	160		**0.1375**	Tested	Camphor	160		ND	Tested
Caryophyllene Oxide	160		**0.1012**	Tested	Guaiol	160		ND	Tested
a-Pinene	160		**0.0901**	Tested	a-Terpinene	160		ND	Tested
trans-Nerolidol	160		**0.0443**	Tested	Cedrol	160		ND	Tested
Fenchone	160		**0.0345**	Tested	d-3-Carene	160		ND	Tested
Borneol	160		**0.0237**	Tested	a-Phellandrene	160		ND	Tested
Valencene	160		**0.0223**	Tested	Sabinene	160		ND	Tested
Camphene	160		**0.0215**	Tested	DL-Menthol	160		ND	Tested

Notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

PJLA Testing Accreditation #82076

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR0513-0006489
350 Buell Rd
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0513-CLRE-0015212

Strain: Gelato 41, Unit Weight: 1.0000g
Batch#: C-KR-G1-01-0425, Batch Size: 458
Sample Received: 05/13/2025 19:12
Report Created: 05/19/2025 17:51
Sampling SOP 204-NY

C-KR-G1-01-0425

Concentrates & Extracts, Live Resin

Residual Solvents

Pass

SOP 612-NY
Date/Time Tested: 05/14/2025 15:48

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	39	5,000	< LOQ	Passed
Acetonitrile	16	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	39	5,000	< LOQ	Passed
Chloroform	2	60	ND	Passed
Ethanol	197	5,000	ND	Passed
Ethyl Acetate	197	5,000	ND	Passed
Ethyl Ether	20	5,000	ND	Passed
DMSO	98	5,000	ND	Passed
Heptane	20	5,000	ND	Passed
Hexanes	6	290	**12.6**	Passed
Isopropyl Alcohol	197	5,000	< LOQ	Passed
Methanol	118	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	59	5,000	< LOQ	Passed
Propane	20	5,000	< LOQ	Passed
Toluene	4	890	ND	Passed
Trichloroethane	49	1,500	ND	Passed
Xylenes	259	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	20	1,000	ND	Passed

Notes:
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

Pass

SOP 808-NY
Date/Time Tested: 05/16/2025 15:52

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9		ND	Tested	Ochratoxin A	4.9	20.0	ND	Passed
B2	4.9		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.9		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.9		ND	Tested					

Notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

PJLA Testing Accreditation #82076

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR0513-0006489
350 Buell Rd
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0513-CLRE-0015212

Strain: Gelato 41, Unit Weight: 1.0000g
Batch#: C-KR-G1-01-0425, Batch Size: 458
Sample Received: 05/13/2025 19:12
Report Created: 05/19/2025 17:51
Sampling SOP 204-NY

C-KR-G1-01-0425

Concentrates & Extracts, Live Resin

Heavy Metals

Pass

SOP 250-NY
Date/Time Tested: 05/15/2025 10:45

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.178	2.000	ND	Passed
Arsenic	0.178	0.200	ND	Passed
Cadmium	0.178	0.200	ND	Passed
Chromium	0.178	110.000	< LOQ	Passed
Copper	0.214	30.000	ND	Passed
Mercury	0.043	0.100	ND	Passed
Nickel	0.214	2.000	**0.419**	Passed
Lead	0.178	0.500	< LOQ	Passed

Notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

PJLA Testing Accreditation #82076

Kimberly Krisolofsky

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR0513-0006489
350 Buell Rd
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0513-CLRE-0015212

Strain: Gelato 41, Unit Weight: 1.0000g
Batch#: C-KR-G1-01-0425, Batch Size: 458
Sample Received: 05/13/2025 19:12
Report Created: 05/19/2025 17:51
Sampling SOP 204-NY

C-KR-G1-01-0425

Concentrates & Extracts, Live Resin

Pesticides

Pass

SOP 814-NY
Date/Time Tested: 05/16/2025 10:24

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed

PJLA Testing Accreditation #82076

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR0513-0006489
350 Buell Rd
New York, 14624
shane@cironalabs.com
3157770209

Sample: SNYCIR0513-CLRE-0015212

Strain: Gelato 41, Unit Weight: 1.0000g
Batch#: C-KR-G1-01-0425, Batch Size: 458
Sample Received: 05/13/2025 19:12
Report Created: 05/19/2025 17:51
Sampling SOP 204-NY

C-KR-G1-01-0425

Concentrates & Extracts, Live Resin

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	< LOQ	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

PJLA Testing Accreditation #82076

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.